

# Mallia™

Express Yourself  
Like Never Before

**WOW** A visual treat

**MORE** An enduring form

**CHOICES** For every purpose

**NOW** An easy fix

**SHOP**



# Mallia™

## single pole switches-customisable colours



2 810 00



2 830 02



2 820 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97

Conform to BS EN 60669-1. Painted polycarbonate front cover  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates. Dim.: 86 x 86 mm

### Single pole standard switches 10 AX - 250 VA

Pack	Cat.Nos	
10	2 810 00	1 gang - 1-way switch
5	2 830 00	○ White
5	2 832 00	● Silver
5	2 834 00	● Pearl
5	2 838 00	● Dark Silver
5	2 820 00	● Champagne
		● Matt Black
10	2 810 01	1 gang - 2-way switch
5	2 830 01	○ White
5	2 832 01	● Silver
5	2 834 01	● Pearl
5	2 838 01	● Dark Silver
5	2 820 01	● Champagne
		● Matt Black
4	2 810 08	1 gang - intermediate switch
4	2 830 08	○ White
4	2 832 08	● Silver
4	2 834 08	● Pearl
4	2 838 08	● Dark Silver
4	2 820 08	● Champagne
		● Matt Black
10	2 810 02	2 gang - 1-way switch
5	2 830 02	○ White
5	2 832 02	● Silver
5	2 834 02	● Pearl
5	2 838 02	● Dark Silver
5	2 820 02	● Champagne
		● Matt Black
10	2 810 03	2 gang - 2-way switch
5	2 830 03	○ White
5	2 832 03	● Silver
5	2 834 03	● Pearl
5	2 838 03	● Dark Silver
5	2 820 03	● Champagne
		● Matt Black
10	2 810 04	3 gang - 1-way switch
5	2 830 04	○ White
5	2 832 04	● Silver
5	2 834 04	● Pearl
5	2 838 04	● Dark Silver
5	2 820 04	● Champagne
		● Matt Black
10	2 810 05	3 gang - 2-way switch
5	2 830 05	○ White
5	2 832 05	● Silver
5	2 834 05	● Pearl
5	2 838 05	● Dark Silver
5	2 820 05	● Champagne
		● Matt Black
10	2 810 06	4 gang - 1-way switch
5	2 830 06	○ White
5	2 832 06	● Silver
5	2 834 06	● Pearl
5	2 838 06	● Dark Silver
5	2 820 06	● Champagne
		● Matt Black
10	2 810 07	4 gang - 2-way switch
5	2 830 07	○ White
5	2 832 07	● Silver
5	2 834 07	● Pearl
5	2 838 07	● Dark Silver
5	2 820 07	● Champagne
		● Matt Black

### Single pole illuminated switches 10 AX - 250 VA

Pack	Cat.Nos	
		Transparent phosphorescent lens To be equipped with green or red LED according to the need: indicator or locator (p. 35) The LED is not supplied
10	2 810 10	1 gang - 1-way switch
5	2 830 10	○ White
5	2 832 10	● Silver
5	2 834 10	● Pearl
		● Dark Silver
10	2 810 11	1 gang - 2-way switch
5	2 830 11	○ White
5	2 832 11	● Silver
5	2 834 11	● Pearl
		● Dark Silver
4	2 810 09	1 gang - intermediate switch
4	2 830 09	○ White
4	2 832 09	● Silver
4	2 834 09	● Pearl
		● Dark Silver
10	2 810 12	2 gang - 1-way switch
5	2 830 12	○ White
5	2 832 12	● Silver
5	2 834 12	● Pearl
		● Dark Silver
10	2 810 13	2 gang - 2-way switch
5	2 830 13	○ White
5	2 832 13	● Silver
5	2 834 13	● Pearl
		● Dark Silver
10	2 810 14	3 gang - 1-way switch
5	2 830 14	○ White
5	2 832 14	● Silver
5	2 834 14	● Pearl
		● Dark Silver
10	2 810 15	3 gang - 2-way switch
5	2 830 15	○ White
5	2 832 15	● Silver
5	2 834 15	● Pearl
		● Dark Silver
10	2 810 16	4 gang - 1-way switch
5	2 830 16	○ White
5	2 832 16	● Silver
5	2 834 16	● Pearl
		● Dark Silver
10	2 810 17	4 gang - 2-way switch
5	2 830 17	○ White
5	2 832 17	● Silver
5	2 834 17	● Pearl
		● Dark Silver

# Mallia™

push-buttons, dimmers, automatic switches and other lighting functions-customisable colours



2 810 40



2 810 84



2 830 84



2 838 86



2 834 90

Painted polycarbonate front cover. Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 VA
10	2 810 41	<p>Conform to BS EN 60669-1 N/O contact (push to make)</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul> <p>N/O contact with bell symbol</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 830 41	
5	2 832 41	
5	2 834 41	
5	2 838 41	
5	2 820 41	
10	2 810 40	<p><b>RLC + LED dimmer</b></p> <p>Rotary dimmer without neutral Conform to BS EN 60669-2-1 100-240 VA for all types of dimmable lamps: - dimmable LED: 5 to 75 W (10 lamps max.) - dimmable compact fluorescent lamps: 5 to 75 W (10 lamps max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 830 40	
5	2 832 40	
5	2 834 40	
5	2 838 40	
5	2 820 40	
1	0 401 49	<p><b>Active compensator</b></p> <p>Allows to ensure compatibility of 2-wire electronic lighting controls without neutral with all available types of loads (LEDs, compact fluorescent lamps)</p> <p>ELV halogen lamps with electronic or conventional ballast, 230 V halogen lamps, fluorescent tubes, incandescent lamps) Consumption: 0.4 W</p>
1	2 810 80	<p><b>Leading edge dimmers</b></p> <p>Conform to BS EN 60669-2-1 Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V A . 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul> <p>Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V A . 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 830 80	
1	2 832 80	
1	2 834 80	
1	2 838 80	
1	2 820 80	
1	2 810 84	<p>Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V A . 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 830 84	
1	2 832 84	
1	2 834 84	

Pack	Cat.Nos	Leading edge dimmers (continued)
1	2 810 85	<p>Rotary dimmer 60-1000 W (230 V) - 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour. 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 830 85	
1	2 832 85	
1	2 834 85	
1	2 810 92	<p><b>Programmable switches</b></p> <p>Conform to BS EN 60669-2-1 Power supply: 230 V A - 50/60 Hz Maximum load: 2300 W. Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 830 92	
1	2 832 92	
1	2 834 92	
1	2 810 91	<p><b>Time delay switches</b></p> <p>Conform to BS EN 60669-2-1 Adjustable time from 5 min to 12 h. Maximum load: 500 W incandescent and halogen lamps 230 VA 250 W fluorescent lamps without capacitor</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 830 91	
1	2 832 91	
1	2 834 91	
1	2 810 81	<p><b>Fan speed controls</b></p> <p>Conform to BS EN 60669-2-1 400 VA rotary fan controls</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul> <p>5-speed fan controls 100 W for fan with overall diameter 48"</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 830 81	
1	2 832 81	
1	2 834 81	
1	2 810 82	<p><b>Automatic switches</b></p> <p>Conform to BS EN 60669-2-1 IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min. Detection range: max. 12 m. Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V A</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 830 82	
1	2 832 82	
1	2 834 82	
1	2 810 90	<p>Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V A . 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39</p> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 830 90	
1	2 832 90	
1	2 834 90	

# Mallia™

telephone, data, television, shaver sockets and cable outlets-customisable colours



2 811 47



2 831 62



2 835 65



2 835 51



2 839 35

Painted polycarbonate front cover. Compact mechanism for greater wiring space.  
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
5	2 811 60	<b>RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>	5	2 811 53	<b>TV-R sockets- star attenuation 1.5 dB</b> TV: 5-68/120-862 MHz R: 87.5-108 MHz <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 831 60		5	2 831 53	
5	2 833 60		5	2 833 53	
5	2 835 60		5	2 835 53	
5	2 839 60				
5	2 821 60				
5	2 811 63	<b>Double RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>	10	2 811 51	<b>TV sockets - star attenuation 1.5 dB</b> TV: 0-2400 MHz <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 831 63		5	2 831 51	
5	2 833 63		5	2 833 51	
5	2 835 63		5	2 835 51	
5	2 811 68	<b>BS master telephone sockets</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>	5	2 839 51	<b>TV sockets "F" type with screws-star attenuation 1.5dB</b> SAT: 0-2400 MHz <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 831 68		10	2 811 52	
5	2 833 68		5	2 831 52	
5	2 835 68		5	2 833 52	
5	2 811 69	<b>BS secondary telephone sockets</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>	5	2 835 52	<b>Shaver sockets</b> Conform to BS EN 61558-2-5 230 V / 120 V A - 50/60 Hz Dim.: 86 x 146 mm <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 831 69		5	2 839 52	
5	2 833 69		5	2 821 52	
5	2 835 69				
5	2 811 61	<b>Data sockets</b> <b>RJ 45 Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>	1	2 811 35	<b>Cable outlets</b> Conform to BS 5733 20A <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 831 61		5	2 831 47	
5	2 833 61		5	2 833 47	
5	2 835 61		5	2 835 47	
5	2 839 61		5	2 839 47	
5	2 821 61		5	2 821 47	
5	2 811 62	<b>RJ 45 Cat. 6 UTP</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>	10	2 811 48	45 A - supplied complete with plate <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> </ul>
5	2 831 62		5	2 831 48	
5	2 833 62		5	2 833 48	
5	2 835 62		5	2 835 48	
5	2 839 62		5	2 839 48	
5	2 821 62		5	2 821 48	
5	2 811 64	<b>Double RJ 45 Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>	5	2 811 48	
5	2 831 64		5	2 831 48	
5	2 833 64		5	2 833 48	
5	2 835 64		5	2 835 48	
5	2 811 65	<b>Double RJ 45 Cat. 6 UTP</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>	5	2 811 48	
5	2 831 65		5	2 831 48	
5	2 833 65		5	2 833 48	
5	2 835 65		5	2 835 48	
5	2 839 65		5	2 839 48	
5	2 821 65				
5	2 811 66	<b>Telephone and data sockets</b> <b>RJ 11 + RJ 45 sockets Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>	5	2 811 66	
5	2 831 66		5	2 831 66	
5	2 833 66		5	2 833 66	
5	2 835 66		5	2 835 66	



# Mallia™

## socket outlets with USB charger

### TWO IN ONE

Charge your mobile devices without the need for a bulky adaptor or blocking access to the power outlet. Just plug your USB cord right into the USB charging port – and run your other appliances as usual.



2.4 A - 5 V = - 12 W

### FOR FUTURE-PROOF INSTALLATIONS



3 A - 5 V = - 15 W

- 2 gang socket outlets are equipped with Type-A and Type-C™ charging ports
- For future-proof installations that respond to growing connectivity requirements today – and tomorrow



# Mallia™

multistandard and US standard socket outlets-complete white



2 839 22



2 811 23

Polycarbonate front cover plates with a matt finish  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
Supplied complete with plate  
Dim.: 86 x 86 mm

#### Pack Cat.Nos **Multistandard switched socket outlets - 16 A - 250 V / 15 A - 127 V**

Pack	Cat.Nos	
10	2 811 20	<b>2P+E - 1 gang</b> To be equipped with plates ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 831 20	
5	2 833 20	
5	2 835 20	
5	2 839 20	
5	2 821 20	
10	2 811 22	<b>2P+E - 2 gang</b> ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
4	2 831 22	
4	2 833 22	
4	2 835 22	
4	2 839 22	
4	2 821 22	

#### **Multistandard switched socket outlets 16 A - 250 VA / 15 A - 127 VA with USB charger**

Pack	Cat.Nos	
1	2 811 21	USB charger conform to IEC 60950-1 Supplied complete with plates <b>2P+E - 1 gang</b> USB Type-A 2.4 A - 5 V = - 12 W Consumption in passive mode < 0.08 W ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
1	2 831 21	
1	2 833 21	
1	2 835 21	
1	2 839 21	
1	2 821 21	
1	2 811 23	<b>2 x 2P+E - 2 gang</b> USB Type-A + Type-C™ 3 A - 5 V = - 15 W Consumption in passive mode < 0.08 W ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
1	2 831 23	
1	2 833 23	
1	2 835 23	
1	2 839 23	
1	2 821 23	

# Mallia™

## Dedicated hotel functions

Create a positive guest experience

Besides switches, sockets, A/V sockets and sockets with USB charger, Mallia also offers specific functions for the guest room. They enhance the in-room comfort for the guest and contribute to making work easier for the hotel staff.



- The "Do not disturb/ Please make up room" control unit allows guests to preserve quiet if they wish to - at the push of a button



- Mounted outside the guest room, the external unit notifies staff to "Make up room" or "Do not Disturb"



- The key card switch allows to power the room, and to disable devices when the customer is absent, thereby contributing to energy saving



- Shaver socket - convenient, as it can be used with European, British, American or Australian 2-pin plugs



# Mallia™

switches for hotels, downlighters - customisable colours



2 838 45



2 834 97

Painted polycarbonate front cover  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
To be equipped with plates  
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V±
1	2 810 48	<b>Key card switches - 15 A</b> Time delay around 30 s ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
1	2 830 48	
1	2 832 48	
1	2 834 48	
1	2 838 48	
1	2 820 48	
10	2 810 45	<b>Do not disturb / Occupied / Clean up</b> Bell push-buttons ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 830 45	
5	2 832 45	
5	2 834 45	
5	2 838 45	
5	2 820 45	
10	2 810 46	<b>Do not disturb / Clean up - 2 gang switches</b> ○ White ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 830 46	
5	2 832 46	
5	2 834 46	
5	2 838 46	
5	2 820 46	
5	2 810 97	<b>Downlighters</b> Low output downlighters 230 V± , with LED ○ White ● Silver ● Pearl ● Dark Silver
5	2 830 97	
5	2 832 97	
5	2 834 97	

# Mallia™


plates, blanking plates, Arteor adaptors and accessories-customisable colours



2 819 65



2 819 78



2 819 76



2 819 62



2 818 92 + 2 819 10

Pack	Cat.Nos	Plates
10	2 819 00	<b>1 gang - plastic</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Champagne</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Brass</li> <li>● Bronze</li> <li>● Matt Black</li> <li>● Copper</li> </ul>
10	2 819 05	
10	2 819 10	
10	2 819 50	
10	2 819 55	
10	2 819 60	
10	2 819 65	
10	2 819 70	
10	2 819 75	
1	2 819 78	
1	2 819 82	
1	2 819 86	
1	2 819 90	
5	2 819 01	<b>2 x 1 gang - plastic</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Champagne</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Brass</li> <li>● Bronze</li> <li>● Matt Black</li> <li>● Copper</li> </ul>
5	2 819 06	
5	2 819 11	
5	2 819 51	
5	2 819 56	
5	2 819 61	
5	2 819 66	
5	2 819 71	
5	2 819 76	
1	2 819 79	
1	2 819 83	
1	2 819 87	
1	2 819 91	
5	2 819 02	<b>2 gang - Vertical</b> For 2 gang vertical DP switch 45 A (p. 28) <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Champagne</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Brass</li> <li>● Bronze</li> <li>● Matt Black</li> <li>● Copper</li> <li>● Brushed Stainless Steel</li> <li>● Gold</li> <li>● Polished Stainless Steel</li> <li>● Lacquered Black</li> </ul>
5	2 819 07	
5	2 819 12	
5	2 819 52	
5	2 819 57	
5	2 819 62	
5	2 819 67	
5	2 819 72	
5	2 819 77	
1	2 819 80	
1	2 819 84	
1	2 819 88	
1	2 819 92	

Pack	Cat.Nos	Blanking plates
10	2 811 90	<b>1 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> <li>● Champagne - Not supplied with plate</li> <li>● Matt Black - Not supplied with plate</li> </ul>
10	2 831 90	
10	2 833 90	
10	2 835 90	
10	2 818 90	
10	2 821 90	
5	2 811 91	<b>2 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> </ul>
5	2 831 91	
5	2 833 91	
5	2 835 91	




























Pack	Cat.Nos	Mosaic-Arteor adaptors
5	2 811 92	<b>1 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> <li>● Champagne - Not supplied with plate</li> <li>● Matt Black - Not supplied with plate</li> </ul>
5	2 831 92	
5	2 833 92	
5	2 835 92	
5	2 818 92	
5	2 821 92	
5	2 811 93	<b>2 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> </ul>
5	2 831 93	
5	2 833 93	
5	2 835 93	

Pack	Cat.Nos	Transparent rockers with label holders for switches
5	2 818 95	Can be used instead of the standard rocker plates Supplied with white labels 1 gang
5	2 818 96	2 gang
5	2 818 97	3 gang

Pack	Cat.Nos	Lamps
10	2 819 97	LED 220 V, green low consumption For locator use
10	2 819 98	LED 220 V, red - high luminosity For indicator use

# Mallia™

plate selection charts-customisable colours

PLATES		 PLATES		 SUPPORT FRAMES AND PLATES FOR MODULAR SOCKET OUTLETS
	1 gang	2 x 1 gang	2 gang	2 gang
White 	2 819 00	2 819 01	2 819 02	2 819 30
Silver 	2 819 05	2 819 06	2 819 07	2 819 31
Champagne 	2 819 10	2 819 11	2 819 12	2 819 32
Pearl 	2 819 50	2 819 51	2 819 52	2 819 33
Dark Silver 	2 819 55	2 819 56	2 819 57	2 819 34
Brass 	2 819 60	2 819 61	2 819 62	2 819 46
Bronze 	2 819 65	2 819 66	2 819 67	2 819 47
Matt Black 	2 819 70	2 819 71	2 819 72	2 819 48
Copper 	2 819 75	2 819 76	2 819 77	2 819 49
Metal Brushed Stainless Steel 	2 819 78	2 819 79	2 819 80	2 819 20
Metal Gold 	2 819 82	2 819 83	2 819 84	2 819 21
Metal Polished Stainless Steel 	2 819 86	2 819 87	2 819 88	2 819 22
Metal Lacquered Black 	2 819 90	2 819 91	2 819 92	2 819 23
PLATES		 BLANKING PLATES		 MOSAIC-ARTEOR ADAPTORS
	1 gang	2 x 1 gang	1 gang	2 gang
White 	2 811 90 <sup>(1)</sup>	2 811 91 <sup>(1)</sup>	2 811 92 <sup>(1)</sup>	2 811 93 <sup>(1)</sup>
Silver 	2 831 90 <sup>(2)</sup>	2 831 91 <sup>(2)</sup>	2 831 92 <sup>(2)</sup>	2 831 93 <sup>(2)</sup>
Pearl 	2 833 90 <sup>(2)</sup>	2 833 91 <sup>(2)</sup>	2 833 92 <sup>(2)</sup>	2 833 93 <sup>(2)</sup>
Dark Silver 	2 835 90 <sup>(2)</sup>	2 835 91 <sup>(2)</sup>	2 835 92 <sup>(2)</sup>	2 835 93 <sup>(2)</sup>
Champagne  <b>N</b>	2 818 90 <sup>(2)</sup>	-	2 818 92 <sup>(2)</sup>	-
Matt Black  <b>N</b>	2 821 90 <sup>(2)</sup>	-	2 821 92 <sup>(2)</sup>	-

1 : Supplied with plate  
2 : Not supplied with plate